



Part Number : [640017400](#)

Product Description : PremiumGrade Hand Crimp Tool for Industrial Terminals, 22-10 AWG (see ATS)

Series Number : 207129

Status : Active

Product Category : Crimp Presses and Crimp Hand Tools



Documents & Resources

Tooling Specifications

[ATS-640017400-001.pdf](#)

[TM-640160065-001.pdf](#)

[TM-640160065CN-001.pdf](#)

[TM-640160065SP-001.pdf](#)

[TM-640160065IT-001.pdf](#)

[TM-640160065JP-001.pdf](#)

[TM-640160065KR-001.pdf](#)

[TM-640160065MY-001.pdf](#)

[TM-640160065PL-001.pdf](#)

[TM-640160065RU-001.pdf](#)

[TM-640160065SK-001.pdf](#)

[TM-640160065TH-001.pdf](#)

[TM-640160065VN-001.pdf](#)

[TM-640160065TW-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Reviewed per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

[Multiple Part Product Compliance Statements](#)

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Crimp Presses and Crimp Hand Tools
Series	207129
Description	PremiumGrade Hand Crimp Tool for Industrial Terminals, 22-10 AWG (see ATS)
Comments	ServiceGrade Hand Tool 640160041; Type: 4C
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	toolingsupport@molex.com
Product Family	Application Tooling
Product Name	PremiumGrade
Tool Type	Hand Crimp Tool
UPC	800756778624

Warranty Disclaimer	<p>CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling").</p> <p>When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer.</p> <p>Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.</p>
---------------------	--

Physical

Net Weight	742.798/g
------------	-----------

Applicable Parts

Description	Part Number
Perma-Seal Ring Tongue Terminal for 22-18 AWG Wire, Stud Size 10 (M5), Carton	<u>191640003</u>
Perma-Seal Ring Tongue Terminal for 22-18 AWG Wire, Stud Size 1/4" (M6), Carton	<u>191640004</u>
Perma-Seal Ring Tongue Terminal for 22-18 AWG Wire, Stud Size 3/8" (M9), Carton	<u>191640005</u>
Perma-Seal Spade Tongue Terminal for 22-18 AWG Wire, Stud Size 6 (M3.5), Carton	<u>191640006</u>
Perma-Seal Spade Tongue Terminal for 22-18 AWG Wire, Stud Size 8 (M4), Carton	<u>191640007</u>
Perma-Seal Spade Tongue Terminal for 22-18 AWG Wire, Stud Size 10 (M5), Carton	<u>191640008</u>
Perma-Seal 3-Way Connector Assembly for 22-18 AWG Wire, Carton	<u>191640011</u>
Perma-Seal Butt Splice for 22-18 AWG Wire, Carton	<u>191640013</u>
Perma-Seal Butt Splice for 22-18 AWG Wire, Mylar Tape Carrier	<u>191640014</u>

Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 3/8" (M9), Carton	<u>191640020</u>
Perma-Seal Hook Tongue Terminal for 16-14 AWG Wire, Stud Size 10 (M5), Carton	<u>191640021</u>
Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 1/4" (M6), Carton	<u>191640026</u>
Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 5/16" (M8), Carton	<u>191640027</u>
Perma-Seal Spade Tongue Terminal for 16-14 AWG Wire, Stud Size 6 (M3.5), Carton	<u>191640028</u>
Perma-Seal Spade Tongue Terminal for 16-14 AWG Wire, Stud Size 8 (M4), Carton	<u>191640029</u>
Perma-Seal Spade Tongue Terminal for 16-14 AWG Wire, Stud Size 10 (M5), Carton	<u>191640030</u>
Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 6 (M3.5), Carton	<u>191640032</u>
Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 8 (M4), Carton	<u>191640033</u>
Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 10 (M5), Carton	<u>191640034</u>
Perma-Seal 3-Way Connector Assembly for 16-14 AWG Wire, Carton	<u>191640042</u>
Perma-Seal Step Down Butt Splice for 16-14 AWG to 22-18 AWG Wire, Carton	<u>191640043</u>
Perma-Seal Butt Splice for 16-14 AWG Wire, Carton	<u>191640044</u>
Perma-Seal Butt Splice for 16-14 AWG Wire, Mylar Tape Carrier	<u>191640045</u>
Perma-Seal Butt Splice for 12-10 AWG Wire, Carton	<u>191640056</u>
Perma-Seal Butt Splice for 12-10 AWG Wire, Mylar Tape Carrier	<u>191640057</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 1/2" (M12), Carton	<u>191640058</u>

Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 6 (M3.5), Carton	<u>191640061</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 8 (M4), Carton	<u>191640062</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 10 (M5), Carton	<u>191640065</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 1/4" (M6), Carton	<u>191640066</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 5/16" (M8), Carton	<u>191640067</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 3/8" (M9), Carton	<u>191640068</u>
Perma-Seal Spade Tongue Terminal for 12-10 AWG Wire, Stud Size 6 (M3.5), Carton	<u>191640069</u>
Perma-Seal Spade Tongue Terminal for 12-10 AWG Wire, Stud Size 8 (M4), Carton	<u>191640070</u>
Perma-Seal 3-Way Connector Assembly for 12-10 AWG Wire, Carton	<u>191640074</u>
Perma-Seal Step Down Butt Splice from 12-10 AWG to 16-14 AWG, Carton	<u>191640077</u>
Perma-Seal Ring Tongue Terminal for 22-18 AWG Wire, Stud Size 6 (M3.5), Carton	<u>191640085</u>
Perma-Seal Ring Tongue Terminal for 22-18 AWG Wire, Stud Size 8 (M4), Carton	<u>191640086</u>
Perma-Seal Hook Tongue Terminal for 16-14 AWG Wire, Stud Size 6 (M3.5), Carton	<u>191640141</u>
Perma-Seal Hook Tongue Terminal for 16-14 AWG Wire, Stud Size 8 (M4), Carton	<u>191640142</u>
Perma-Seal Ring Tongue Terminal for 22-18 AWG Wire, Stud Size 10 (M5), Mylar Tape Carrier	<u>191640306</u>
Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 3/8" (M9), Mylar Tape Carrier	<u>191640307</u>

Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 1/4" (M6), Mylar Tape Carrier	<u>191640308</u>
Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 5/16" (M8), Mylar Tape Carrier	<u>191640309</u>
Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 6 (M3.5), Mylar Tape Carrier	<u>191640310</u>
Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 8 (M4), Mylar Tape Carrier	<u>191640311</u>
Perma-Seal Ring Tongue Terminal for 16-14 AWG Wire, Stud Size 10 (M5), Mylar Tape Carrier	<u>191640312</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 10 (M5), Mylar Tape Carrier	<u>191640316</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 1/4" (M6), Mylar Tape Carrier	<u>191640317</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 5/16" (M8), Mylar Tape Carrier	<u>191640318</u>
Perma-Seal Ring Tongue Terminal for 22-18 AWG Wire, Stud Size 8 (M4), Mylar Tape Carrier	<u>191640419</u>
Perma-Seal Ring Tongue Terminal for 22-18 AWG Wire, Stud Size 5/16" (M8), Carton	<u>191640435</u>
Perma-Seal Step Down Butt Splice from 12-10 AWG to 16-14 AWG, Mylar Tape Carrier	<u>191640582</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 3/8" (M9), Mylar Tape Carrier	<u>191640857</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 8 (M4), Mylar Tape Carrier	<u>191640938</u>
Perma-Seal Ring Tongue Terminal for 12-10 AWG Wire, Stud Size 10 (M5), Mylar Tape Carrier	<u>191640939</u>
Perma-Seal Spade Tongue Terminal for 16-14 AWG Wire, Stud Size 6 (M3.5), Mylar Tape Carrier	<u>191640948</u>