




Part Number : [639023200](#)

Product Description : FineAdjust Applicator for SL Crimp Terminals, for 24-22 AWG Wire with Insulation Diameter 1.40-1.63mm

Series Number : 207127

Status : Active

Product Category : Applicators and Crimp Modules



Documents & Resources

Tooling Specifications

[ATS-639023200-001.pdf](#)

[TM-638000029-001.pdf](#)

[TM-638004900-001.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|--|
| GADSL/IMDS | Not Relevant |
| China RoHS | Not Relevant |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Relevant |
| REACH SVHC | Not Reviewed per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

| | |
|--------------------------------|--|
| Status | Active |
| Category | Applicators and Crimp Modules |
| Series | 207127 |
| Description | FineAdjust Applicator for SL Crimp Terminals, for 24-22 AWG Wire with Insulation Diameter 1.40-1.63mm |
| Comments | See Tooling Specification (PDF) Above, Terminals will accommodate the UL1007 wires |
| Function | Crimp |
| Geographic Area | Global |
| Level of Automation | Automatic, Semi-Automatic |
| More Detailed Tech Information | toolingsupport@molex.com |
| Product Name | FineAdjust |
| Tool Type | Applicator |
| UPC | 884982667082 |
| Warranty Disclaimer | <p>CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling").</p> <p>When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer.</p> <p>Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.</p> |

Physical

| | |
|------------|------------|
| Net Weight | 5080.445/g |
|------------|------------|

Use with Part(s)

| Description | Part Number |
|---|---|
| TM-2000 Universal Press | <u>638008300</u> |
| TM-2000 Universal Press (Europe 220V) | <u>638008400</u> |
| TM-3000 Universal Crimp Press, 120AC 50/60Hz, Used for product up to 10 AWG | <u>638017200</u> |
| TM-3000 Universal Crimp Press, 220AC 50/60Hz, Used for product up to 10 AWG | <u>638017300</u> |
| TM-4000 Universal Crimp Press, 240AC 50/60Hz, Used for product up to 4 AWG | <u>638017600</u> |
| Use With | Most Industry Standard Presses or Wire Process Machines |

Applicable Parts

| Description | Part Number |
|--|------------------|
| SL Crimp Terminal, Series 70058, Female, 24-22 AWG, with Tin (Sn) Plated Contact, Reel | <u>16020086</u> |
| SL Crimp Terminal, Series 70058, Female, 24-22 AWG, with 0.38µm Selective Gold (Au) Plated Contact, Reel | <u>16020087</u> |
| SL Crimp Terminal, Series 70058, Female, 24-22 AWG, with 0.76µm Selective Gold (Au) Plated Contact, Reel | <u>16020088</u> |
| SL Crimp Terminal, Series 71851, Female, with Tin (Sn) Plated Contact, 24-22 AWG, Reel | <u>16021110</u> |
| SL Crimp Terminal, Series 71851, Female, with 0.76µm Selective Gold (Au) Plated Contact, 24-22 AWG, Reel | <u>16021111</u> |
| SL Crimp Terminal, Series 71851, Female, with 0.38µm Selective Gold (Au) Plated Contact, 24-22 AWG, Reel | <u>16021124</u> |
| SL Crimp Terminal, Female, 24-22 AWG, with Tin (Sn) Plated Contact, Unplated Edges, Reel | <u>700580086</u> |
| SL Crimp Terminal, Female, 24-22 AWG, with 0.38µm Selective Gold (Au) Plated Contact, Reel | <u>700580087</u> |

| | |
|--|------------------|
| SL Crimp Terminal, Female, 24-22 AWG, with 0.76µm Selective Gold (Au) Plated Contact, Reel | <u>700580088</u> |
| SL Crimp Terminal, Series 70058, Female, 24-22 AWG, with Tin (Sn) Plated Contact, Unplated Edges, Reel | <u>700584086</u> |

This document was generated on Nov 17, 2024