



**Part Number :** [640034200](#)


**Product Description :** PremiumGrade Hand Crimp Tool for Flag Krimptite/Vibrakrimp Un-insulated Female Quick Disconnect Terminals, 22-14 AWG

**Series Number :** 207129

**Status :** Active

**Product Category :** Crimp Presses and Crimp Hand Tools

**Engineering Number :** RHT-NIFG



---

## Documents & Resources

### Tooling Specifications

[ATS-640034200-001.pdf](#)

[TM-640160065-001.pdf](#)

[TM-640160065CN-001.pdf](#)

[TM-640160065SP-001.pdf](#)

[TM-640160065IT-001.pdf](#)

[TM-640160065JP-001.pdf](#)

[TM-640160065KR-001.pdf](#)

[TM-640160065MY-001.pdf](#)

[TM-640160065PL-001.pdf](#)

[TM-640160065RU-001.pdf](#)

[TM-640160065SK-001.pdf](#)

[TM-640160065TH-001.pdf](#)

[TM-640160065VN-001.pdf](#)

[TM-640160065TW-001.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Not Reviewed per EU 2015/863

## Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

## Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Crimp Presses and Crimp Hand Tools
Series	207129
Description	PremiumGrade Hand Crimp Tool for Flag Krimptite/Vibrakrimp Un-insulated Female Quick Disconnect Terminals, 22-14 AWG
Comments	Type RHT
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	toolingsupport@molex.com
Product Family	Application Tooling
Product Name	N/A
Tool Type	Hand Crimp Tool
UPC	822348074396

Warranty Disclaimer	<p>CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling").</p> <p>When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer.</p> <p>Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.</p>
---------------------	--

## Applicable Parts

Description	Part Number
Flag Krimptite Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.51mm	<u>190080001</u>
Flag Krimptite Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.81mm	<u>190080002</u>
Flag Krimptite Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 6.35 x 0.81mm	<u>190080006</u>
Flag Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.51mm	<u>190080019</u>
Flag Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 6.35 x 0.81mm	<u>190080024</u>
VibraKrimp Quick Disconnect Flag, Female, for 22-18 AWG Wire	<u>190090001</u>
VibraKrimp Quick Disconnect Flag, Female, for 22-18 AWG Wire	<u>190090003</u>
VibraKrimp Quick Disconnect Flag, Female, for 16-14 AWG Wire	<u>190090010</u>
VibraKrimp Quick Disconnect Flag, Female, for 16-14 AWG Wire	<u>190090012</u>
Krimptite Quick Disconnect, Female, Steel Flag, 483°C (900° F), 16-14 AWG	<u>192030375</u>

---

This document was generated on Nov 17, 2024