



**Part Number :** [2002184400](#)

**Product Description :** Hand Crimp Tool for CTX50 Sealed L1-Grip Receptacle Crimp Terminals, 0.35mm<sup>2</sup>, FLR2X A3ZH Wire

**Series Number :** 207129

**Status :** Active

**Product Category :** Crimp Presses and Crimp Hand Tools



---

## Documents & Resources

### Tooling Specifications

[2002184400-000.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Reviewed per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Crimp Presses and Crimp Hand Tools
Series	207129
Description	Hand Crimp Tool for CTX50 Sealed L1-Grip Receptacle Crimp Terminals, 0.35mm <sup>2</sup> , FLR2X A3ZH Wire
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	toolingsupport@molex.com
Product Family	Application Tooling
Product Name	CTX50
Tool Type	Hand Crimp Tool
UPC	193264053612
Warranty Disclaimer	<p>CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.</p>

---

### Applicable Parts

Description	Part Number
CTX50 Receptacle Terminal, Sealed, Tin, L-Grip, D-Wind, Left Payoff, Wire Insulation Diameter 1.20-1.40mm	<u>349052447</u>

CTX50 Receptacle Terminal, Sealed, Tin, L-Grip, B-Wind, Right Payoff, Wire Insulation Diameter 1.20-1.40mm	<u>349052449</u>
CTX50 Receptacle Terminal, Sealed, Silver, L-Grip, D-Wind, Left Payoff, Wire Insulation Diameter 1.20-1.40mm	<u>349056447</u>
CTX50 Receptacle Terminal, Sealed, Silver, L-Grip, B-Wind, Right Payoff, Wire Insulation Diameter 1.20-1.40mm	<u>349056449</u>