



Part Number : [638239900](#)

Product Description : Hand Crimp Tool For SATA Power Cable Crimp Receptacles

Series Number : 207129

Status : Active

Product Category : Crimp Presses and Crimp Hand Tools



Documents & Resources

Tooling Specifications

[ATS-638239900-001.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|--|
| GADSL/IMDS | Not Relevant |
| China RoHS | Not Relevant |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Relevant |
| REACH SVHC | Not Contained per D(2020)9139-DC (19 Jan 2021) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|--------------------------------|--|
| Status | Active |
| Category | Crimp Presses and Crimp Hand Tools |
| Series | 207129 |
| Description | Hand Crimp Tool For SATA Power Cable Crimp Receptacles |
| Comments | See Tooling Specification (PDF) Above; Type: 4D |
| Function | Crimp |
| Geographic Area | Global |
| Level of Automation | Manual |
| More Detailed Tech Information | toolingsupport@molex.com |
| Product Family | Application Tooling |
| Product Name | PremiumGrade |
| Tool Type | Hand Crimp Tool |
| UPC | 884982579491 |
| Warranty Disclaimer | <p>CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.</p> |

Physical

| | |
|------------|-----------|
| Net Weight | 317.100/g |
|------------|-----------|

Applicable Parts

| | |
|-------------|-------------|
| Description | Part Number |
|-------------|-------------|

| | |
|--|------------------|
| 1.27mm Pitch Serial ATA Crimp Terminal for Power Cable Receptacle, Gold (Au) Flash Plating, with Reel Direction - Type 1, Lead free | <u>675810000</u> |
| 1.27mm Pitch Serial ATA Crimp Terminal for Power Cable Receptacle, Gold (Au) Flash Plating, with Reel Direction - Type 2, Lead free | <u>675810010</u> |
| 1.27mm Pitch Serial ATA Crimp Terminal for Power Cable Receptacle, 0.76µm Gold (Au) Plating, with Reel Direction - Type 2, Lead free | <u>675810011</u> |