# molex

Part Number: 639021900

Product Description: Fine Adjust Applicator for 0.635mm CP Terminals, for 0.22mm<sup>2</sup>, 0.35mm<sup>2</sup>, 0.50mm<sup>2</sup> Metric Wires

Series Number: 207127

Status: Active

**Product Category:** Applicators and Crimp

Modules



#### **Documents & Resources**

#### **Tooling Specifications**

ATS-639021900-001.pdf

TM-638000029-001.pdf

TM-638000029SP-001.pdf

TM-638000029IT-001.pdf

TM-638000029JP-001.pdf

TM-638000029KR-001.pdf

TM-638000029MY-001.pdf

TM-638000029PL-001.pdf

TM-638000029RU-001.pdf

TM-638000029SK-001.pdf

TM-638000029TH-001.pdf

TM-638000029VN-001.pdf

TM-638000029CN-001.pdf

TM-638000029TW-001.pdf

TM-638004900-001.pdf

TM-638004900CN-001.pdf

TM-638004900DE-001.pdf

TM-638004900SP-001.pdf

TM-638004900FR-001.pdf

TM-638004900IT-001.pdf

TM-638004900JP-001.pdf

TM-638004900KR-001.pdf

TM-638004900MY-001.pdf

TM-638004900PL-001.pdf

TM-638004900RU-001.pdf TM-638004900SK-001.pdf

TM-638004900TH-001.pdf

TM-638004900VN-001.pdf

TM-638004900TW-001.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Reviewed per D(2024)4144-DC (27 June 2024)
EU RoHS	Not Reviewed per EU 2015/863

## Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

## Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

#### **Part Details**

#### General

Status	Active
Category	Applicators and Crimp Modules
Series	207127
Description	FineAdjust Applicator for 0.635mm CP Terminals, for 0.22mm², 0.35mm², 0.50mm² Metric Wires
Comments	See Tooling Specification (PDF) Above, Terminals the thin wall small insulation with the TXL type American wire and the IR or ID type Metric wires
Function	Crimp
Geographic Area	Global
Level of Automation	Automatic, Semi-Automatic

More Detailed Tech Information	toolingsupport@molex.com
Product Name	FineAdjust
Tool Type	Applicator
UPC	884982368200
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

# Physical

Net Weight	4996.577/g
------------	------------

# Use with Part(s)

Description	Part Number
TM-2000 Universal Press	638008300
TM-2000 Universal Press (Europe 220V)	638008400
TM-3000 Universal Crimp Press, 120AC 50/60Hz, Used for product up to 10 AWG	<u>638017200</u>
TM-3000 Universal Crimp Press, 220AC 50/60Hz, Used for product up to 10 AWG	<u>638017300</u>
TM-4000 Universal Crimp Press, 240AC 50/60Hz, Used for product up to 4 AWG	638017600
Use With	Most Industry Standard Presses or Wire Process Machines

# Applicable Parts

Description	Part Number
Description	Tare Namber

0.635mm CMC CP Female Terminal, Tin Plated, for Square 0.6mm x 0.6mm Pins, Wire Size 0.22- 0.44mm²	643221019
0.635mm CMC CP Female Terminal, Tin Plated with Selective 1.27µm Gold in Contact Area, for Square 0.6mm x 0.6mm Pins, Wire Size 0.22-0.44mm²	<u>643221229</u>
0.635mm CMC CP Female Terminal, HP Version, Tin Plated with Selective 1.27µm Gold in Contact Area, for Square 0.6mm x 0.6mm Pins, Wire Size 0.22-0.44mm²	643221349
0.635mm CMC CP Female Terminal, Tin Plated, for Square 0.6mm x 0.6mm Pins, Wire Size 0.50mm <sup>2</sup>	643221039
0.635mm CMC CP Female Terminal, Tin Plated with Selective 1.27µm Gold in Contact Area, for Square 0.6mm x 0.6mm Pins, Wire Size 0.50mm²	<u>643221239</u>
0.635mm CMC CP Female Terminal, HP Version, Tin Plated with Selective 1.27µm Gold in Contact Area, for Square 0.6mm x 0.6mm Pins, Wire Size 0.50mm²	<u>643221359</u>

This document was generated on Nov 17, 2024